

EXPLANATIONS:

1) Limit Values applies to articles.

2) Substances of very high concern are defined in Article 57 of Regulation (EC) No 1907/2006 ("the REACH Regulation")

Nr.	Substance name	CAS-No.	EC-No.	Limit Value ¹⁾
1	Triethyl arsenate	15606-95-8	427-700-2	0,1 wt.% (total)
2	Anthracene	120-12-7	204-371-1	0,1 wt.% (total)
3	4,4'- Diaminodiphenylmethane (MDA)	101-77-9	202-974-4	0,1 wt.% (total)
4	Dibutyl phthalate (DBP)	84-74-2	201-557-4	0,1 wt.% (total)
5	Cobalt dichloride	7646-79-9	231-589-4	0,1 wt.% (total)
6	Diarsenic pentaoxide	1303-28-2	215-116-9	0,1 wt.% (total)
7	Diarsenic trioxide	1327-53-3	215-481-4	0,1 wt.% (total)
8	Sodium dichromate	7789-12-0 and 10588-01-9	234-190-3	0,1 wt.% (total)
9	5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2	201-329-4	0,1 wt.% (total)
10	Bis (2-ethylhexyl)phthalate (DEHP)	117-81-7	204-211-0	0,1 wt.% (total)
11	Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified:	25637-99-4 and 3194-55-6	247-148-4 and 221-695-9	0,1 wt.% total
	Alpha-hexabromocyclododecane (α -HBCDD)	134237-50-6		
	Beta-hexabromocyclododecane (β -HBCDD)	134237-51-7		
	Gamma-hexabromocyclododecane (γ -HBCDD)	134237-52-8		
12	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins (SCCP))	85535-84-8	287-476-5	0,1 wt.% (total)
13	Bis(tributyltin)oxide (TBTO)	56-35-9	200-268-0	0,1 wt.% (total)
14	Lead hydrogen arsenate	7784-40-9	232-064-2	0,1 wt.% (total)
15	Benzyl butyl phthalate (BBP)	85-68-7	201-622-7	0,1 wt.% (total)
16	Anthracene oil	90640-80-5	292-602-7	0,1 wt.% (total)
17	Anthracene oil, anthracene paste, distn. lights	91995-17-4	295-278-5	0,1 wt.% (total)

EXPLANATIONS:

1) Limit Values applies to articles.

2) Substances of very high concern are defined in Article 57 of Regulation (EC) No 1907/2006 ("the REACH Regulation")

Nr.	Substance name	CAS-No.	EC-No.	Limit Value ¹⁾
18	Anthracene oil, anthracene paste, anthracene fraction	91995-15-2	295-275-9	0,1 wt.% (total)
19	Anthracene oil, anthracene-low	90640-82-7	292-604-8	0,1 wt.% (total)
20	Anthracene oil, anthracene paste	90640-81-6	292-603-2	0,1 wt.% (total)
21	Pitch, coal tar, high temp.	65996-93-2	266-028-2	0,1 wt.% (total)
22	<p>Aluminosilicate Refractory Ceramic Fibres</p> <p>Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.2 of Regulation (EC) No 1272/2008, and fulfil the two following conditions:</p> <p>a) Al₂O₃ and SiO₂ are present within the following concentration ranges:</p> <ul style="list-style-type: none"> • Al₂O₃: 43.5 – 47 % w/w, and SiO₂: 49.5 – 53.5 % w/w, or • Al₂O₃: 45.5 – 50.5 % w/w, and SiO₂: 48.5 – 54 % w/w, <p>b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometers (µm).</p>	-	-	0,1 wt.% (total)
23	<p>Zirconia Aluminosilicate, Refractory Ceramic Fibres</p> <p>Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.2 of Regulation (EC) No 1272/2008, and fulfil the two following conditions:</p> <p>a) Al₂O₃, SiO₂ and ZrO₂ are present within the following concentration ranges:</p> <ul style="list-style-type: none"> • Al₂O₃: 35 – 36 % w/w, and • SiO₂: 47.5 – 50 % w/w, and • ZrO₂: 15 - 17 % w/w, <p>b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometers (µm).</p>	-	-	0,1 wt.% (total)
24	2,4-Dinitrotoluene	121-14-2	204-450-0	0,1 wt.% (total)
25	Diisobutyl phthalate	84-69-5	201-553-2	0,1 wt.% (total)
26	Lead chromate	7758-97-6	231-846-0	0,1 wt.% (total)
27	Lead chromate molybdate sulphate red (C.I. Pigment Red 104)	12656-85-8	235-759-9	0,1 wt.% (total)
28	Lead sulfochromate yellow (C.I. Pigment Yellow 34)	1344-37-2	215-693-7	0,1 wt.% (total)
29	tris(2-chloroethyl)phosphate	115-96-8	204-118-5	0,1 wt.% (total)