

EXPLANATIONS:

1) Limit Values applies to articles.

2) Substances of very high concern are defined in Article 57 of Regulation (EC) No 1907/2006 ("the REACH Regulation")

| Nr. | Substance name | CAS-No. | EC-No. | Limit Value ¹⁾ |
|-----|--|-----------------------------|----------------------------|---------------------------|
| 1 | Triethyl arsenate | 15606-95-8 | 427-700-2 | 0,1 wt.% (total) |
| 2 | Anthracene | 120-12-7 | 204-371-1 | 0,1 wt.% (total) |
| 3 | 4,4'- Diaminodiphenylmethane (MDA) | 101-77-9 | 202-974-4 | 0,1 wt.% (total) |
| 4 | Dibutyl phthalate (DBP) | 84-74-2 | 201-557-4 | 0,1 wt.% (total) |
| 5 | Cobalt dichloride | 7646-79-9 | 231-589-4 | 0,1 wt.% (total) |
| 6 | Diarsenic pentaoxide | 1303-28-2 | 215-116-9 | 0,1 wt.% (total) |
| 7 | Diarsenic trioxide | 1327-53-3 | 215-481-4 | 0,1 wt.% (total) |
| 8 | Sodium dichromate | 7789-12-0 and 10588-01-9 | 234-190-3 | 0,1 wt.% (total) |
| 9 | 5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene) | 81-15-2 | 201-329-4 | 0,1 wt.% (total) |
| 10 | Bis (2-ethylhexyl)phthalate (DEHP) | 117-81-7 | 204-211-0 | 0,1 wt.% (total) |
| 11 | Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: | 25637-99-4 and 3194-55-6 | 247-148-4 and 221-695-9 | 0,1 wt.% total |
| | Alpha-hexabromocyclododecane (α - HBCDD) | 134237-50-6 | | |
| | Beta-hexabromocyclododecane (β -HBCDD) | 134237-51-7 | | |
| | Gamma-hexabromocyclododecane (γ -HBCDD) | 134237-52-8 | | |
| 12 | Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins (SCCP)) | 85535-84-8 | 287-476-5 | 0,1 wt.% (total) |
| 13 | Bis(tributyltin)oxide (TBTO) | 56-35-9 | 200-268-0 | 0,1 wt.% (total) |
| 14 | Lead hydrogen arsenate | 7784-40-9 | 232-064-2 | 0,1 wt.% (total) |
| 15 | Benzyl butyl phthalate (BBP) | 85-68-7 | 201-622-7 | 0,1 wt.% (total) |
| 16 | Anthracene oil | 90640-80-5 | 292-602-7 | 0,1 wt.% (total) |
| 17 | Anthracene oil, anthracene paste, distn. lights | 91995-17-4 | 295-278-5 | 0,1 wt.% (total) |

EXPLANATIONS:

1) Limit Values applies to articles.

2) Substances of very high concern are defined in Article 57 of Regulation (EC) No 1907/2006 ("the REACH Regulation")

| Nr. | Substance name | CAS-No. | EC-No. | Limit Value ¹⁾ |
|-----|---|--|-----------|---------------------------|
| 18 | Anthracene oil, anthracene paste, anthracene fraction | 91995-15-2 | 295-275-9 | 0,1 wt.% (total) |
| 19 | Anthracene oil, anthracene-low | 90640-82-7 | 292-604-8 | 0,1 wt.% (total) |
| 20 | Anthracene oil, anthracene paste | 90640-81-6 | 292-603-2 | 0,1 wt.% (total) |
| 21 | Pitch, coal tar, high temp. | 65996-93-2 | 266-028-2 | 0,1 wt.% (total) |
| 22 | <p>Aluminosilicate Refractory Ceramic Fibres</p> <p>Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.2 of Regulation (EC) No 1272/2008, and fulfil the two following conditions:</p> <p>a) Al₂O₃ and SiO₂ are present within the following concentration ranges:</p> <ul style="list-style-type: none"> • Al₂O₃: 43.5 – 47 % w/w, and SiO₂: 49.5 – 53.5 % w/w, or • Al₂O₃: 45.5 – 50.5 % w/w, and SiO₂: 48.5 – 54 % w/w, <p>b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometers (µm).</p> | Extracted from Index no.: 650-017-00-8 | - | 0,1 wt.% (total) |
| 23 | <p>Zirconia Aluminosilicate, Refractory Ceramic Fibres</p> <p>Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.2 of Regulation (EC) No 1272/2008, and fulfil the two following conditions:</p> <p>a) Al₂O₃, SiO₂ and ZrO₂ are present within the following concentration ranges:</p> <ul style="list-style-type: none"> • Al₂O₃: 35 – 36 % w/w, and • SiO₂: 47.5 – 50 % w/w, and • ZrO₂: 15 - 17 % w/w, <p>b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometers (µm).</p> | Extracted from Index no. 650-017-00-8 | - | 0,1 wt.% (total) |
| 24 | 2,4-Dinitrotoluene | 121-14-2 | 204-450-0 | 0,1 wt.% (total) |
| 25 | Diisobutyl phthalate | 84-69-5 | 201-553-2 | 0,1 wt.% (total) |
| 26 | Lead chromate | 7758-97-6 | 231-846-0 | 0,1 wt.% (total) |
| 27 | Lead chromate molybdate sulphate red (C.I. Pigment Red 104) | 12656-85-8 | 235-759-9 | 0,1 wt.% (total) |
| 28 | Lead sulfochromate yellow (C.I. Pigment Yellow 34) | 1344-37-2 | 215-693-7 | 0,1 wt.% (total) |
| 29 | Tris(2-chloroethyl)phosphate | 115-96-8 | 204-118-5 | 0,1 wt.% (total) |

EXPLANATIONS:

1) Limit Values applies to articles.

2) Substances of very high concern are defined in Article 57 of Regulation (EC) No 1907/2006 ("the REACH Regulation")

| Nr. | Substance name | CAS-No. | EC-No. | Limit Value¹⁾ |
|------------|--|--|-----------------------------|---------------------------------|
| 30 | Acrylamide | 79-06-1 | 201-173-7 | 0,1 wt.% (total) |
| 31 | Ammonium dichromate | 7789-09-5 | 232-143-1 | 0,1 wt.% (total) |
| 32 | Boric acid | 10043-35-3 and 11113-50-1 | 233-139-2 and 234-343-4 | 0,1 wt.% (total) |
| 33 | Disodium tetraborate, anhydrous | 1303-96-4 and 1330-43-4 and 12179-04-3 | 215-540-4 | 0,1 wt.% (total) |
| 34 | Potassium chromate | 7789-00-6 | 232-140-5 | 0,1 wt.% (total) |
| 35 | Potassium dichromate | 7778-50-9 | 231-906-6 | 0,1 wt.% (total) |
| 36 | Sodium chromate | 7775-11-3 | 231-889-5 | 0,1 wt.% (total) |
| 37 | Tetraboron disodium heptaoxide, hydrate | 12267-73-1 | 235-541-3 | 0,1 wt.% (total) |
| 38 | Trichloroethylene | 79-01-6 | 201-167-4 | 0,1 wt.% (total) |
| 39 | Cobalt(II) sulphate | 10124-43-3 | 233-334-2 | 0,1 wt.% (total) |
| 40 | Cobalt(II) dinitrate | 10141-05-6 | 233-402-1 | 0,1 wt.% (total) |
| 41 | Cobalt(II) carbonate | 513-79-1 | 208-169-4 | 0,1 wt.% (total) |
| 42 | Cobalt(II) diacetate | 71-48-7 | 200-755-8 | 0,1 wt.% (total) |
| 43 | 2-Methoxyethanol | 109-86-4 | 203-713-7 | 0,1 wt.% (total) |
| 44 | 2-Ethoxyethanol | 110-80-5 | 203-804-1 | 0,1 wt.% (total) |
| 45 | Chromium trioxide | 1333-82-0 | 215-607-8 | 0,1 wt.% (total) |
| 46 | Chromic acid, Oligomers of chromic acid and dichromic acid, Dichromic acid | 7738-94-5 - 13530-68-2 | 231-801-5 - 236-881-5 | 0,1 wt.% (total) |
| 47 | 1,2,3-Trichloropropane | 96-18-4 | 202-486-1 | 0,1 wt.% (total) |

EXPLANATIONS:

1) Limit Values applies to articles.

2) Substances of very high concern are defined in Article 57 of Regulation (EC) No 1907/2006 ("the REACH Regulation")

| Nr. | Substance name | CAS-No. | EC-No. | Limit Value¹⁾ |
|------------|---|---------------------|---------------|---------------------------------|
| 48 | 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters | 68515-42-4 | 271-084-6 | 0,1 wt.% (total) |
| 49 | 1-Methyl-2-pyrrolidone | 872-50-4 | 212-828-1 | 0,1 wt.% (total) |
| 50 | Hydrazine | 302-01-2, 7803-57-8 | 206-114-9 | 0,1 wt.% (total) |
| 51 | Strontium chromate | 7789-06-2 | 232-142-6 | 0,1 wt.% (total) |
| 52 | 2-Ethoxyethyl acetate | 111-15-9 | 203-839-2 | 0,1 wt.% (total) |
| 53 | 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich | 71888-89-6 | 276-158-1 | 0,1 wt.% (total) |
| 54 | Calcium arsenate | 7778-44-1 | 231-904-5 | 0,1 wt.% (total) |
| 55 | Bis(2-methoxyethyl) ether | 111-96-6 | 203-924-4 | 0,1 wt.% (total) |
| 56 | Potassium hydroxyoctaoxodizincatedichromate | 11103-86-9 | 234-329-8 | 0,1 wt.% (total) |
| 57 | N,N-dimethylacetamide | 127-19-5 | 204-826-4 | 0,1 wt.% (total) |
| 58 | Arsenic acid | 7778-39-4 | 231-901-9 | 0,1 wt.% (total) |
| 59 | Lead dipicrate | 6477-64-1 | 229-335-2 | 0,1 wt.% (total) |
| 60 | 1,2-dichloroethane | 107-06-2 | 203-458-1 | 0,1 wt.% (total) |
| 61 | 2-Methoxyaniline; o-Anisidine | 90-04-0 | 201-963-1 | 0,1 wt.% (total) |
| 62 | Trilead diarsenate | 3687-31-8 | 222-979-5 | 0,1 wt.% (total) |
| 63 | Pentazinc chromate octahydroxide | 49663-84-5 | 256-418-0 | 0,1 wt.% (total) |
| 64 | 4-(1,1,3,3-tetramethylbutyl)phenol | 140-66-9 | 205-426-2 | 0,1 wt.% (total) |
| 65 | Formaldehyde, oligomeric reaction products with aniline | 25214-70-4 | 500-036-1 | 0,1 wt.% (total) |

EXPLANATIONS:

1) Limit Values applies to articles.

2) Substances of very high concern are defined in Article 57 of Regulation (EC) No 1907/2006 ("the REACH Regulation")

| Nr. | Substance name | CAS-No. | EC-No. | Limit Value¹⁾ |
|------------|---|----------------|---------------|---------------------------------|
| 66 | Bis(2-methoxyethyl) phthalate | 117-82-8 | 204-212-6 | 0,1 wt.% (total) |
| 67 | Lead diazide, Lead azide | 13424-46-9 | 236-542-1 | 0,1 wt.% (total) |
| 68 | Lead styphnate | 15245-44-0 | 239-290-0 | 0,1 wt.% (total) |
| 69 | 2,2'-dichloro-4,4'-methylenedianiline | 101-14-4 | 202-918-9 | 0,1 wt.% (total) |
| 70 | Phenolphthalein | 77-09-8 | 201-004-7 | 0,1 wt.% (total) |
| 71 | Dichromium tris(chromate) | 24613-89-6 | 246-356-2 | 0,1 wt.% (total) |
| 72 | Zirconia Aluminosilicate Refractory Ceramic Fibres Zirconia Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium, silicon and zirconium are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm). c) alkaline oxide and alkali earth oxide (Na ₂ O+K ₂ O+CaO+MgO+BaO) content less or equal to 18% by weight | | | 0,1 wt.% (total) |
| 73 | Aluminosilicate Refractory Ceramic Fibres Aluminosilicate Refractory Ceramic Fibres are fibres covered by index number 650-017-00-8 in Annex VI, part 3, table 3.1 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and fulfil the three following conditions: a) oxides of aluminium and silicon are the main components present (in the fibres) within variable concentration ranges b) fibres have a length weighted geometric mean diameter less two standard geometric errors of 6 or less micrometres (µm) c) alkaline oxide and alkali earth oxide (Na ₂ O+K ₂ O+CaO+MgO+BaO) content less or equal to 18% by weight | | | 0,1 wt.% (total) |